

WILSONWERKS ARCHIVES

This camera manual is for reference and historical purposes, all rights reserved.


This cover page is copyrighted material. This document may not be sold or distributed without the express consent of the publisher.

©2008-2025 wilsonwerks Llc



QUICK REFERENCE GUIDE

A handy introduction to Minolta cameras, lenses, flashes, accessories and binoculars.



FREEDOM ACTION ZOOM 38 ZOOM 60 RED-EYE REDUCTION

The lightweight, stylish and fully automatic compact camera with a high quality zoom lens.

Now there's a compact zoom camera that's a perfect match for your active lifestyle. One that makes it easy to take beautifully sharp pictures. Freedom Action Zoom. Lightweight and fully automatic, it lets you zoom in and capture all the fun. Outdoors or indoors. Under the sun or in soft indoor lighting. Anywhere, anytime, this is the camera to take wherever the action takes you.

- High-quality Wide-Tele zoom lens
- High precision 250 step autofocus
- Advanced autoexposure
- Versatile flash with red-eye reduction
- Total-freedom film operation
- Integral Quartz Data Back on Quartz Date Model

Dimensions: 5 1/4 x 2 3/4 x 1 11/16 in.
Weight (without battery): 8 7/16 oz.

38mm



60mm



WEATHERMATIC DUAL 35 35 50 DUAL

A rugged, all-weather compact 35mm autofocus camera with dual lens selection

Take the Weathermatic Dual 35 to wherever the action is. It's rugged and waterproof, so you can use it outdoors year-round, in all kinds of weather. 35mm and 50mm dual lens selection gives you one-touch versatility. And fully automatic operation makes taking great pictures in the great outdoors easy.


- Rugged, all-weather construction
- Waterproof
- Dual lens selection
- Precise autofocus
- Advanced automatic exposure system

Dimensions: 5 13/16 x 3 1/16 x 2 9/16 in.
Weight (without battery): 14 1/8 oz.

35mm



50mm



ONLY FROM THE MIND OF MINOLTA

WEATHERMATIC: 7X50, 10X42

Precision-crafted, waterproof binoculars for rugged outdoor use.

- Multi-coated lenses ensure high resolution and brilliance
- 10X42 model has a wide angle of view, making observation of moving subjects easier
- A soft-touch rubber coating makes handling easy

**POCKET: 7X21, 8X22, 10X25, EZ8X20***












Superb quality and performance in a choice of ultra-compact lightweight models.

- Multi-coated optics provide excellent clarity
- 8X22 and 10X25 models have wide angles, making observation of moving subjects easier
- A soft-touch rubber coating makes handling easy



**Multi-coated optics and rubber coating not included.*

RECOMMENDATION CHART

	 General Use	 Bird Watching	 Hunting	 Boating/Yachting	 Beach	 Sports	 Auto Racing	 Horse Racing	 Theater	 Travel	 Astronomical
Standard XL	●	●	●			●	●	●			●
Standard EZ	●	●	●			●	●	●			●
Standard Zoom	●	●	●			●	●	●			●
Weathermatic		●	●	●	●						
Compact	●					●	●	●	●	●	
Compact-AF	●	●				●	●	●	●	●	
Compact-Zoom	●	●				●	●	●	●	●	
Compact-Weathermatic	●	●			●	●	●	●	●	●	
Pocket	●					●	●	●	●	●	
Spotting Scope		●	●								●

SPOTTING SCOPE FV63

View long distances for long periods of time.

- High-quality lenses and Bak-4 prism ensure bright and clear images
- Long-eye relief



Optional Accessories
Extra eyepieces increase viewing options



MINOLTA

Minolta Co., Ltd.
3-13, 2-Chome, Azuchi-Machi, Chuo-Ku, Osaka 541, Japan

Minolta Corporation
Head Office

101 Williams Drive, Ramsey,
New Jersey 07446, U.S.A.
11150 Hope Street
Cypress, CA 90630, U.S.A.

Los Angeles Branch

Minolta Canada Inc.
Head Office

369 Britannia Road East, Mississauga,
Ontario L4Z 2H5, Canada
106-3850 Jacombs Road, Richmond, B.C.
V6V 1Y6, Canada

Vancouver Branch

Minolta GmbH

Kurf-Fischer-Strasse 50, 22923
Ahrensburg, Germany

Minolta France S.A.

365, Route de Saint-Germain, 78420
Carrières-Sur-Seine, France

Minolta (UK) Limited

Rookley Park, Precedent Drive, Rookley,
Milton Keynes, MK13 8HF, England

Minolta Austria Ges. m.b.H.

Amalienstrasse 59-61, 1131 Wien, Austria

Minolta Camera Benelux B.V.

Zonnebaan 39, P.O. Box 1364 3600
Maarssebroek, The Netherlands

Belgium Branch

Kontichsesteenweg 38, B-2630
Aartselaar, Belgium

Minolta (Schweiz) AG

Riedstrasse 6 8953 Dietikon, Switzerland

Minolta Svenska AB

Brännkyrkagatan 64, Box 17074,
S-10462 Stockholm 17, Sweden

Finland Branch

Niitykatu 6 PL 37 SF-02201 Espoo, Finland

Minolta Portugal Limitada

Av. do Brasil 33 a, 1700 Lisbon, Portugal

Minolta Hong Kong Limited

Room 208, 2/F, Eastern Center, 1065
King's Road, Quarry Bay, Hong Kong

Minolta Singapore (Pte) Ltd.

10, Teban Gardens Crescent,
Singapore 2260

They Make Picture-Taking Easy. Anytime. Anywhere.




FREEDOM ZOOM 90EX 38 90 ZOOM RED-EYE REDUCTION

The full-featured 35mm compact camera with a high quality 38mm—90mm zoom lens. Finally, you can have it all in a compact zoom camera. High quality end results. Sophisticated features. Versatile, fun-to-use operation. The Freedom Zoom 90EX. Now it's easy to create unforgettable pictures and have plenty of fun taking them.

- High-quality 38mm—90mm zoom lens
- Multi-function zoom flash with red-eye reduction
- Intelligent multi-beam autofocus
- Dual-segment-metering autoexposure
- Versatile features for more creative pictures
- Integral Quartz Data Back on Quartz Date Model

Dimensions: 5⁷/₈ × 3 × 2³/₈ in.
Weight (without battery): 12³/₁₆ oz.



NEW

PANORAMA ZOOM 28 28 70 ZOOM RED-EYE REDUCTION

A Fully Automatic Compact Camera With A 28—70mm Wide-Angle Zoom Lens, And Switchable Panorama-Format Option. The 28mm wide-angle lens covers a wide area so more of any scene fits into your shot. Shoot impressive portrait photos just as easily using the 70mm lens setting. And enjoy wider-looking, panoramic shots simply by sliding the Panorama switch into position.

- High-quality 28—70mm wide-angle zoom lens
- High-precision 250 step autofocus
- Dual-segment-metering autoexposure
- Automatic-function zoom flash with red-eye reduction
- Integral Quartz Data Back
- Mid-Roll Panorama Changeover

Dimensions: 5¹/₄ × 2⁷/₈ × 2³/₁₆ in.
Weight (without battery): 10⁹/₁₆ oz.



FREEDOM ZOOM 70EX 35 70 ZOOM RED-EYE REDUCTION


A fully automatic 35mm compact camera with a high-quality 35—70mm zoom lens and a full-function zoom flash. So easy to use, anyone can operate it. Capture close-up shots from a distance with its 35—70mm 2x zoom lens. The high-quality lens and precise autofocus system provide unbelievable picture sharpness every time. This lightweight zoom compact houses many practical features, such as a full-function zoom flash and red-eye reduction.

- High-quality 35—70mm zoom lens
- High-precision 300-step autofocus
- Highly accurate dual-segment metering AE
- Full-function zoom flash with red-eye reduction
- Integral Quartz Data Back on Date Model

Dimensions: 5¹/₄ × 2⁷/₈ × 1¹⁵/₁₆ in.
Weight (without battery): 9 oz.



Minolta Binoculars. Precision-crafted performance.




NEW

F10

A focus-free 35mm compact camera with built-in auto flash and automatic operation.

- Focus free • Auto flash • Automatic film transport
- Integral Quartz Data Back on DATE Model

Dimensions: 5 1/8 x 2 7/8 x 1 7/8 in.
Weight (without battery): 7 9/16 oz.



COMPACT

Minolta quality in super-lightweight, affordable compact binoculars.

COMPACT AUTOFOCUS: 10X23 NEW

- Rapid and highly precise continuous autofocus
- Lightweight, compact design
- Minolta's advanced optical technology produces the brightest, clearest images possible



COMPACT WEATHERMATIC: 8X23 NEW, 10X23 NEW

- Overcome wet weather with Weathermatics
- High-performance Bak-4 prisms and multi-coated lenses for sharp and bright images



COMPACT ZOOM: 8X-17X25 NEW

- Zoom versatility in a compact, lightweight design



COMPACT: 8X23, 10X23, EZ8X21*

- Lightweight and easy to carry
- High-performance Bak-4 prisms and multi-coated lenses for sharp and bright images

**Lens multi-coating and Bak-4 prism not included.*



STANDARD

Standard binoculars of above-standard quality.

STANDARD XL: 7X35, 7X50*, 8X40, 10X50, 12X50 NEW

- Standard XL binoculars help you get more enjoyment from all your favorite activities
 - High-performance Bak-4 prisms and multi-coated lenses ensure sharp and clear images
 - Wide angle of view for distant subjects or sports action
- *Wide angle of view is not available.*



STANDARD EZ: 8X30 NEW, 7X35 NEW, 7X50 NEW, 10X50 NEW

- Standard EZ binoculars provide Minolta quality and performance, priced for everybody's budget



STANDARD ZOOM: 7X-15X35 NEW, 8X-20X50 NEW

- Standard Zoom binoculars give you all the fun and versatility of zooming



Minolta Compact 35mm Cameras. They Make Pictures.





NEW **FREEDOM ZOOM 135EX** 38mm 135mm ZOOM RED-EYE REDUCTION

The power of 3.6X zoom. The wonder of compactness. The quality in pictures.

The Freedom Zoom 135EX is the smallest and lightest 38–135mm zoom (3.6X) camera in its class in the world. With its superior autofocus (AF) and autoexposure (AE) systems, and Subject Program Selection feature, you're sure to capture beautiful, sharp photographs.

- A 135mm lens in an ultra-compact body
- Superior autofocus and autoexposure systems
- Subject Program Selection (Modes: Macro, Portrait, Night Portrait, Thank You, Spot Metering)
- Zoom Flash and an array of flash modes
- Integral Quartz Data Back on DATE Model

Dimensions: 5³/₁₆ × 2³/₄ × 2¹/₄ in.
Weight (without battery): 10³/₄ oz.





FREEDOM ZOOM 105EX 38mm 105mm ZOOM RED-EYE REDUCTION

An ultra-slim 105mm zoom compact with superior picture quality.

A retractable long-range zoom lens usually requires a lot of space, resulting in a bulky camera. Not so with the Freedom Zoom 105EX. Its 38–105mm zoom lens retracts into an ultra-slim, compact body. So you can even carry it in your coat pocket. And the advanced technology built into this compact camera allows even beginners to shoot photos of excellent quality.

- Ultra-slim, stylish design
- Impressive 38–105mm zoom lens
- Highly precise 450-step AF system
- Zoom-integrated AE system
- Full-function zoom flash with red-eye reduction
- Integral Quartz Data Back on DATE Model

Dimensions: 5¹/₈ × 2⁵/₈ × 1⁵/₈ in. (1³/₄ in. from grip)
Weight (without battery): 9³/₁₆ oz.



FREEDOM ZOOM 90EX

The full-featured 35mm compact camera with quality 38mm–90mm zoom lens.

Finally, you can have it all in a compact zoom camera with quality end results. Sophisticated features. Versatile operation. The Freedom Zoom 90EX. Now it's time to capture unforgettable pictures and have plenty of fun taking them.

- High-quality 38mm–90mm zoom lens
- Multi-segment zoom flash with red-eye reduction
- Intelligent autofocus
- Dual-segment-metering autoexposure
- Features for more creative pictures
- Integral Quartz Data Back on Quartz Date Model

Dimensions: 5⁷/₈ × 3 × 2³/₈ in.
Weight (without battery): 12³/₁₆ oz.





NEW AF101R RED-EYE REDUCTION

A compact and lightweight 35mm autofocus camera featuring a 28mm wide-angle lens and red-eye reduction.

• Precise autofocus • A 28mm wide-angle lens • Auto flash with red-eye reduction • Automatic film transport • Auto DX-code film speed setting • Integral Quartz Data Back on DATE Model

Dimensions: $4\frac{5}{8} \times 2\frac{1}{2} \times 1\frac{5}{8}$ in.
Weight (without battery): $5\frac{13}{16}$ oz.



NEW F20R RED-EYE REDUCTION

A compact camera with worry-free fixed focus, a 28mm wide-angle lens and red-eye reduction.

• Focus free • A 28mm wide-angle lens • Auto flash with red-eye reduction • Automatic film transport • Auto DX-code film speed setting • Integral Quartz Data Back on DATE Model

Dimensions: $4\frac{5}{8} \times 2\frac{1}{2} \times 1\frac{5}{8}$ in.
Weight (without battery): $5\frac{5}{8}$ oz.




NEW F10

A focus-free 35mm compact camera with flash and automatic operation.

• Focus free • Auto flash • Automatic film transport • Integral Quartz Data Back on DATE Model

Dimensions: $5\frac{1}{8} \times 2\frac{7}{8} \times 1\frac{7}{8}$ in.
Weight (without battery): $7\frac{9}{16}$ oz.



New Maxxum Series. The World's First AF SLRs with Expert



MAXXUM 700si

The High-Performance AF SLR with Sophisticated Intelligence and Full Creative Control.

High-Performance Automation

- World's widest Focus Area With Multiple Sensors • Omni-Dimensional Predictive Focus Control • AF Area Selection • Automatic Focus Mode Selection • Honeycomb-Pattern/Center-Weighted Average/Spot Metering • Expert Program Selection • 1/8000 Sec. High-Speed Shutter

Full Creative Control

- Graphic Display Viewfinder • Metering Index • Memory • P/As Creative Program Control • Exposure Adjustment • Exposure Bracketing • Double Exposure

Comfortable Handling

- Quiet Mechanisms • Vertical Control Grip VC-700

Sophisticated Flash Operation

- High-Speed Sync Flash Control (Flash Sync Speed: 1/8000 Sec.)* • Wireless Off-Camera TTL Flash Control* • Advanced Built-In Autoflash • Red-Eye Reduction Flash • Flash Compensation • 1/200 Sec. Flash Sync Speed

* Usable with Maxxum Flash 5400HS, 5400xi, 3500xi.

** Usable only with Maxxum Flash 5400HS.

Vertical Control Grip VC-700 (option)

Creative Expansion Card System

Integral Quartz Data Back On Date Model

Dimensions: 6⁷/₁₆ × 3⁷/₈ × 2¹³/₁₆ in.

Weight: 21 oz. (without lens and battery)

NEW MAXXUM 400si

An ideal way to enter the world of AF SLR photography—simple, yet creative

The beauty of Maxxum 400si is the easy operation it offers everyone. Beginners can use it to take high quality SLR pictures with the ease of a compact camera. At the same time, the Maxxum 400si can meet the demands of experienced photographers. You can choose Full Programmed Auto Operation, Subject Program Selection or Creative Exposure Selection. In addition, a compact and lightweight design makes the Maxxum 400si easy and fun.

Full Programmed Auto Operation

Lets you take beautiful pictures with simple operation. Just press the P-button, point and shoot.

- Advanced Autofocus/Autoexposure System • Advanced Built-In Autoflash With Red-Eye Reduction.

Subject Program Selection

Easy access to the fun of SLR photography.

- Portrait Mode • Landscape Mode • Close-Up Mode • Sports Action Mode • Night-Portrait Mode

Creative Exposure Selection

Lets you express yourself freely in creative picture.

- Aperture Priority Mode (A-Mode) • Shutter Priority Mode (S-Mode) • Manual Mode (M-Mode) • Wireless Off-Camera TTL Flash Control • Exposure Compensation

Integral Data Back On Date Model

Dimensions: 5¹³/₁₆ × 3⁵/₈ × 2⁵/₈ in.

Weight: 13³/₈ oz. (without lens and battery)

MAXXUM 9xi

The ultimate AF SLR with expert intelligence.

Expert Intelligent System with Eye-Start Automation Expert Performance

Expert Autofocus

- World's Widest Focus Area With Multiple Sensors • Omni-Dimensional Predictive Focus Control • Automatic Focus-Mode Selection • High-Sensitivity Low-Light AF

World's Fastest Features

- 1/12,000 Sec. High-Speed Shutter • 1/300 Sec. Flash Sync Speed • 4.5 Frames-Per-Second AF Sequence Shooting

Expert Autoexposure System

- AF-Integrated 14-Segment Honeycomb-Pattern Metering • Center-Weighted Average Metering • Spot Metering • Expert Program Selection • P/As Creative Program Control • A Mode/S Mode/M Mode

Expert Control

- Customized Function By Quick Button • Manual-Shift • Eye-Start Automation • Advanced Graphic Display Viewfinder • Metering Index • Rubber-Coated, Front/Rear Control Dials

Expert Reliability

- Durable Shutter Unit • UV-Hardened Coating • Rubber-Coated, Zinc Die-Cast Bottom • Dust And Moisture Protection

Creative Expansion Card System

Integral Quartz Data Back On Quartz Date Model

Dimensions: 6⁷/₁₆ × 3⁷/₈ × 2¹/₂ in.

Weight: 26¹/₈ oz. (without lens and battery)

Dimensions: 6 7/16 x 3 7/8 x 2 7/16 in.
Weight: 21 oz. (without lens and battery)

Weight: 15 1/2 oz. (without lens and battery)

Weight: 26 1/2 oz. (without lens and battery)

Minolta Maxxum. The World's Most Complete AF SLR System.

Maxxum AF Lenses



Wideangle Lenses

- AF 20mm f/2.8 • AF 24mm f/2.8 • AF 28mm f/2 • AF 28mm f/2.8
- AF 35mm f/1.4 G • AF 35mm f/2

Telephoto Lenses

- AF 85mm f/1.4 G • AF 100mm f/2 • AF 200mm f/2.8 Apo G
- AF 300mm f/2.8 Apo G • AF 600mm f/4 Apo G

Standard Lenses

- AF 50mm f/1.4 • AF 50mm f/1.7

Special Lenses

- AF 16mm f/2.8 Fisheye • AF Reflex 500mm f/8 • AF 50mm f/2.8 Macro
- AF 50mm f/3.5 Macro New • AF 100mm f/2.8 Macro
- AF Macro Zoom 3X-1X f/1.7-2.8 • AF 1.4X Tele Converter II Apo⁽¹⁾
- AF 2X Tele Converter II Apo⁽²⁾

Zoom Lenses

- AF 24-50mm f/4 • AF 24-85mm f/3.5-4.5 • AF 28-70mm f/2.8 G
- AF 28-80mm f/4-5.6 • AF 28-85mm f/3.5-4.5
- AF 28-105mm f/3.5-4.5 NEW • AF 35-70mm f/3.5-4.5
- AF 35-105mm f/3.5-4.5 • AF 70-210mm f/3.5-4.5
- AF 70-210mm f/4.5-5.6 • AF 80-200mm f/2.8 Apo G
- AF 100-300mm f/4.5-5.6 Apo • AF 100-300mm f/4.5-5.6

⁽¹⁾ For use with AF 200/2.8 Apo, AF 300/2.8 Apo and AF 600/4 Apo lenses only.

⁽²⁾ For use with AF 200/2.8 Apo, AF 300/2.8 Apo, AF 600/4 Apo lenses only.

When using with AF 600/4 Apo, autofocus and focusing signal cannot be used. Set the camera's focus-mode switch to M and focus manually.

"G" designates G-Lens group, a selection of large-aperture, high-performance lenses.

Maxxum AF Zoom xi Lenses

Each exclusive Maxxum Zoom xi Lens includes an internal ultra-compact zoom motor, and micro-computer to provide power zoom and a variety of automatic zoom functions.



AF Zoom xi 28-80mm f/4-5.6



AF Zoom xi 28-105mm f/3.5-4.5



AF Zoom xi 35-200mm f/4.5-5.6 Macro



AF Zoom xi 80-200mm f/4.5-5.6 Macro



AF Zoom xi 100-300mm f/4.5-5.6 Macro



AF Power Zoom 35-80mm f/4-5.6 Macro

The AF Power Zoom Lens is ultra-compact and light, with simple power zoom operation.

Variable-Speed Power Zoom (700si, 400si, 9xi, 7xi, 5xi, 3xi, 2xi and SPxi) Whether you hold the camera in a horizontal or vertical position, a motor-driven ring on the lens barrel allows easy manual control while maintaining superb camera stability. The further you turn the ring in either direction, the faster the lens focal length will change.

Auto Stand-by Zoom (ASZ) (7xi, 5xi, 3xi and SPxi)

Activated by Eye-Start Automation as you look through the camera's viewfinder, the camera immediately measures the distance to your subject and selects a suitable focal length.

Advanced Program Zoom (APZ) (700si, 9xi, 7xi and 5xi)

When you insert the Sports Action Card 2 or Child Card into the camera, the focal length smoothly and continuously adjusts to maintain a pleasing picture composition of a moving subject throughout the zoom range of the lens in use.

Image-Size Lock (700si, 7xi and 5xi)

If your subject is moving either toward or away from the camera, you can easily maintain the image size you want by pressing the lens button.



Creative Expansion Card System

Every Creative Expansion Card is designed to interface with Maxxum SLR cameras just like a sophisticated software program works in a computer. Simply slip a card into the card door slot to create a wide range of effects with surprising ease. This makes your Maxxum camera more functional. More versatile. Which results in photographs that best suit your subjects and the way you wish to photograph them.



Expert Intelligence.



MAXXUM[®] 7xi

The world's most advanced AF SLR with expert intelligence.

Expert Intelligent System with Eye-Start Automation

Expert AF System

- World's Widest Focus Area With Multiple Sensors
- Automatic Focus-Mode Selection • High-Sensitivity Low-Light AF • Omni-Dimensional Predictive Focus Control
- 4 Frames-Per-Second AF Sequence Shooting
- 1/8,000 Sec. High-Speed Shutter

Expert AE System

- AF-Integrated 14-Segment Honeycomb-Pattern Metering
- Expert Program Selection • P_A/P_s Creative Program Control
- Image-Control Index • A Mode/S Mode/M Mode • Spot Metering

Expert Autozoom System

- Auto Stand-by Zoom (ASZ) • Variable-Speed Power Zoom
 - Wide-View Mode • Image-Size Lock • Advanced Program Zoom (APZ)*
- *When used with Child Card or Sports Action Card 2

Expert Flash System

- Advanced Built-In Autoflash • Advanced Automatic Fill-Flash
- Red-Eye Reduction Flash • 1/200 Sec. Flash Sync Speed
- Wireless Off-Camera TTL Flash Control**

**When used with Maxxum Flash 5400HS, 5400xi or 3500xi

Creative Expansion Card System

Integral Quartz Data Back On Quartz Date Model

Dimensions: 6⁷/₁₆ × 3¹⁵/₁₆ × 2⁵/₈ in.

Weight: 22¹⁵/₁₆ oz. (without lens and battery)



MAXXUM[®] 5xi

The world's most compact built-in zoom flash AF SLR with expert intelligence.

Expert Intelligent System with Eye-Start Automation

Expert AF System

- High-Speed AF • Wide Focus Area • Automatic Focus-Mode Selection • Predictive Focus Control • High-Sensitivity, Low-Light AF

Expert AE System

- 8-Segment Honeycomb-Pattern Metering • Expert Program Selection • P_A/P_s Creative Program Control • Creative Exposure Control—A Mode/S Mode/M Mode • Spot Metering • ±4EV Exposure Adjustment

Expert Autozoom System

- Innovative Zoom xi Lenses • Auto Stand-by Zoom (ASZ)
- Advanced Program Zoom (APZ)* • Image-Size Lock
- Variable-Speed Power Zoom

*When used with Child Card or Sports Action Card 2

Expert Flash System

- Powerful, Integral Zoom Flash
- Advanced Automatic Fill-Flash
- Red-Eye Reduction Flash
- Wireless Off-Camera TTL Flash Control** • Slow-Shutter Sync

**When used with Maxxum Flash 5400HS, 5400xi or 3500xi

Creative Expansion Card System

Integral Quartz Data Back On Quartz Date Model

Dimensions: 6 × 3⁷/₈ × 2¹¹/₁₆ in.

Weight: 18¹/₂ oz. (without lens and battery)



MAXXUM[®] 3xi

The compact and lightweight built-in flash AF SLR with expert intelligence.

Expert Intelligent System with Eye-Start Automation

Expert AF System

- High-Speed AF
- Wide Focus Area
- Automatic Focus-Mode Selection
- Predictive Focus Control
- 1/2,000 Sec. High-Speed Shutter
- High-Sensitivity, Low-Light AF

Expert AE System

- 8-Segment Honeycomb-Pattern Metering
- Expert Program Selection
- Creative Exposure Control—A Mode/S Mode/M Mode

Expert Autozoom System

- Innovative Zoom xi Lenses
- Auto Stand-by Zoom (ASZ)
- Variable-Speed Power Zoom

Expert Flash System

- Advanced Built-In Flash
- Advanced Automatic Fill-Flash
- Red-Eye Reduction Flash • Wireless Off-Camera TTL Flash Control*

*When used with Maxxum Flash 5400HS, 5400xi or 3500xi

Integral Quartz Data Back On Quartz Date Model

Dimensions: 5³/₄ × 3⁵/₈ × 2¹/₂ in.

Weight: 14¹³/₁₆ oz. (without lens and battery)



269

259

30031

Complete Maxxum System Versatility.

Feature Cards

Feature Cards provide optional uses to enhance standard Maxxum cameras and functions. Each card is programmed with a specific advanced function you might find essential without diminishing the camera's basic, simple operation.

(For use with 700si, 9xi, 7xi, 5xi, 8000i and 7000i)

- Exposure Bracketing Card 2
- (For use with 700si, 9xi, 7xi, 8000i and 7000i)**
- Fantasy Card 2
- Data Memory Card 2
- Automatic Program Shift Card 2
- Highlight/Shadow Control Card
- Multi-Spot Memory Card

(For use with 700si, 9xi, 7xi, 5xi and 8000i)

- Multiple Exposure Card
- (For use with 700si, 9xi and 7xi)**
- Panning Card
- Intervalometer Card
- Background Priority Card

Customized Function Cards

Customized Function Cards let you reprogram a wide range of camera functions to fit your personal style of photography.

(For use with 700si, 9xi and 7xi)

- Customized Function Card xi
- (For use with 8000i and 7000i)**
- Customized Function Card

Other Accessories



Maxxum Flashes

Minolta's full selection of Maxxum flash units gives you perfect exposure, with precise autofocusing even in total darkness.

	5400HS	5400xi	3500xi	2000xi
High-Speed Sync (HSS)	○*1			
Modelling Flash	○			
Wireless Off-Camera TTL Flash Control	○*2	○*2	○*2	
Guide Number (in feet at ISO 100)	177	177	115	66

*1 Usable only with 700si.

*2 Usable with 700si, 400si, 9xi, 7xi, 5xi and 3xi.

The Macro Flash 1200AF Set-N has four separately controlled flash tubes that make close up flash applications extremely easy.

Wireless Remote Flash Controller (usable with Maxxum 700si and Maxxum 9xi) This compact unit simplifies and improves off-camera flash operation. It attaches to the camera's hot shoe to control combinations of two off-camera flash units with a lighting ratio of 2:1.



Data Backs-Maxxum Quartz Data Backs let you imprint the date or time on your pictures. Data imprinting may also be turned off if you wish. Available for Maxxum cameras are the Quartz Data Back QD-9 (9xi) and Quartz Data Back QD-7 (7xi).



Panorama Adapter Holder Set 1-Attach it to the Maxxum 700si, 9xi or 7xi and you can take panoramic pictures of nature and group photos. This set can be used with all Minolta lenses from wideangle to telephoto.

Photo Meters

Flash Meter IV

The Flash Meter IV is the most advanced, versatile exposure meter available for measuring light from both flash and ambient sources. Its analyze function enables separate metering and adjustment of both the ambient and flash components of a single exposure.



Auto Meter IV F

This meter offers ambient light measurement with a shutter speed range of 30 min. to 1/8,000 sec. In addition, both cord and non-cord flash measurements with sync speeds from 1/500 sec. to 1 sec. are possible. A large LCD with digital and analog readouts, a two-channel memory, average function, and brightness-difference readings are also available.



Auto Meter III

This is the first meter to include a built-in microcomputer to bring light measurement to new levels. It includes a memory and an easy-to-read LCD.



Spotmeter F

This meter has a 1° angle of acceptance and includes flash measuring capability, memory, digital/analog displays, highlight and shadow biasing, and brightness-difference readings in one compact unit.



Color Meter III F

The Color Meter III F is a compact color meter which measures both ambient and flash illumination. It has a 9-channel memory and displays measured values in LB and CC index, filter number and CC index, or photographic color temperature to simplify the process of color measurement and filtration.



Minolta X-Series. The Classic 35mm SLR Cameras and Lenses.



X-700

X-700: A classic 35mm SLR with the following features:

- Programmed automatic exposure requires no manual setting of aperture or shutter speed.
- Programmed autoflash operation uses Minolta's exclusive Direct Autoflash Metering for automatic mastery of flash photography.
- Aperture-priority and manual exposure modes for creative and special-effects photography.
- Optional Wireless Controller IR-1N Set allows infrared activated remote-control camera operation from up to 197 feet away.

X-370N

X-370N: An ergonomically designed 35mm SLR with aperture-priority automatic or metered-manual exposure plus the following features:

- Full-information viewfinder shows both shutter-speed and aperture settings.
- Automatic exposure lock (AEL) locks exposure for recomposing picture.
- Minolta X-series Auto Electroflash units provide accurate flash exposure.
- Fast action sequences are easily handled with optional Motor Drive 1 or Auto Winder G.
- Full range of Minolta interchangeable MD lenses and other Minolta SLR accessories offer great creative potential.
- Shutter-release socket is included for use with remote cord cable release and wireless controller operation.

Accessories for X-Series SLR cameras Designed to satisfy the most rigorous photographic requirements, professional-quality Minolta lenses are the ultimate in precision optics. They are computer-designed and manufactured under the strictest quality-control standards. And you can be sure that any Minolta accessory you select—flashes, bellows, lens filters, exposure meters and many more—will be the very best that technology and our dedication to quality can produce.



V is the most advanced, the meter available for both flash and ambient. The size function enables separate adjustment of both the ambient and flash components of a single exposure.

Ambient light measurement range of 30 min. to 1/8,000. Both cord and non-cord flash with sync speeds from 1/500 to 1/8,000 possible. A large LCD with multiple readouts, a two-channel metering function, and brightness-compensation are also available.

meter to include a built-in ambient light measurement to provide a memory and an easy-to-use interface.

19° angle of acceptance and measuring capability, memory, multiple readouts, highlight and shadow brightness-difference readings in 1/2 EV.

III F is a compact color meter for both ambient and flash. It has a 9-channel memory and displays values in LB and CC index, or in CC index, or photographic equivalent to simplify the process of exposure and filtration.



30031

MAXXUM 3xi

Lightweight built-in flash AF SLR
intelligence.

Expert System with Eye-Start Automation

Mode Selection
Control
Speed Shutter
Low-Light AF

Comb-Pattern Metering
selection
Control—
M Mode
System

Lenses
m (ASZ)
Power Zoom
System

Flash
tic Fill-Flash
n Flash • Wireless Off-Camera TTL Flash

Flash 5400HS, 5400xi or 3500xi

Quartz Data Back On Quartz Date Model

Dimensions: 5 3/4 x 2 1/2 in.
(without lens and battery)



MAXXUM 2xi

The world's easiest AF SLR with expert intelligence.

Expert Intelligent System
Expert AF System

- High-Speed AF
- Wide Focus Area
- Automatic Focus-Mode Selection
- Predictive Focus Control
- 1/2,000 sec. High-Speed Shutter
- High-Sensitivity, Low-Light AF

Expert AE System

- 8-Segment Honeycomb-Pattern Metering
- Expert Program Selection
- Creative Exposure Control—A Mode/S Mode/M Mode
- Spot Metering

Expert Autozoom System

- Innovative Zoom xi Lenses
- Variable-Speed Power Zoom

Dimensions: 5 3/4 x 3 9/16 x 2 3/8 in.
Weight: 13 9/16 oz. (without lens and battery)



MAXXUM SPxi

The world's most compact AF SLR with expert intelligence.

Expert Intelligent System with Eye-Start Automation
Expert AF System

- High-Speed AF
- Wide Focus Area
- Automatic Focus-Mode Selection
- Predictive Focus Control
- 1/2,000 Sec. High-Speed Shutter
- High-Sensitivity, Low-Light AF

Expert AE System

- 8-Segment Honeycomb-Pattern Metering
- Expert Program Selection
- Creative Exposure Control—A Mode/S Mode/M Mode
- Spot Metering

Expert Autozoom System

- Innovative Zoom xi Lenses
- Auto Stand-by Zoom (ASZ)
- Variable-Speed Power Zoom

Integral Quartz Data Back On Quartz Date Model

Dimensions: 5 3/4 x 3 9/16 x 2 3/8 in.
Weight: 13 9/16 oz. (without lens and battery)