

WILSONWERKS ARCHIVES




This camera manual is for reference and historical purposes, all rights reserved.

This cover page is copyrighted material. This document may not be sold or distributed without the express consent of the publisher.

©2008 wilsonwerks Llc



for virtually any picture challenge...



NIKON
ACCESSORIES
for Nikon cameras

*you are the master
of virtually
any picture challenge
with*

NIKON ACCESSORIES

ONE of the great appeals of the 35mm camera is its *versatility* – its ability to handle a wide variety of photographic problems with equal ease and efficiency. And *versatility* is one of the reasons for the wide – and still growing – popularity of the Nikon Cameras.

The array of Nikon camera and Nikkor lens accessories is impressive. Each has its place and each its function. Each, in its own way, adds to the scope, to the usefulness and effectiveness of the camera and its lenses. And each demonstrates the same quality of workmanship, the same painstaking care, the same precision and handling ease, that have become synonymous with the Nikon name throughout the world.

As you examine Nikon accessories, you

will marvel at the originality so many of them reveal, as well as the many welcome innovations and improvements introduced in their design. This holds true not only with the advanced, exclusive accessories like the Nikon Motor Drive, but also with the smaller accessories, too long taken for granted as commonplace. All Nikon accessories – but for the two or three noted – are fully interchangeable between the new Nikon SP and the new Nikon S-3.


A Nikon – S-3 or SP – a complement of Nikkor Lenses, and a judicious selection of Nikon accessories puts virtually any picture challenge within your reach, from specialized amateur work, to press, industrial, scientific and medical applications.




EXPOSURE METER




LIGHT BOOSTER



BC-4 FLASH



BC-3 FLASH



OFFSET BRACKET




FOR S



FOR S2, S3, SP



FITS BC-3



FITS HEILAND
TYPE

NIKON EXPOSURE METER

Shutter-coupled, provides accurate exposures, faster, over a wide range of light conditions. The meter slips into the accessory shoe of the Nikon S-3 or SP and couples to the shutter speed dial. The correct exposure can be set by rotating the shutter speed dial until the exposure meter indicates the pre-selected f/stop; or readings can be made directly in f/stops for a given shutter speed setting. The Nikon Exposure Meter is calibrated for films from ASA 6 to ASA 3200. It is supplied with a plate for incident light readings.

ACCESSORY LIGHT BOOSTER with 400% amplification permits accurate readings, even with illumination that would require an exposure setting of f/1.4 at 1/4 second with a film exposure index of 100.

Supplied with incident light attachment and leather case.

METER RETAINER convenient attachment permits you to use the Nikon shutter-coupled Exposure Meter "off the camera"—with a Nikon, or any camera of your choice.

NIKON FLASH UNITS

While it is true that Nikon photography is, by tradition, available light photography, there are times when the photographer puts synchronized flash to a definite use. Two functionally designed, smartly styled units are available.

MODEL BC-3 a rugged, heavy duty unit with 4½" reflector and folding camera bracket. For all Nikon cameras. Has extension outlet, 2 built-in test bulbs for checking circuit continuity and battery-capacitor charge, a bulb ejector, snap-off case for off-the-camera flash, flash calculator. Complete with zippered vinyl case and 8' connecting cord.

CONNECTING CORDS for BC-3 or electronic flash units. Cord tip is specially designed for Nikon cameras. Available in 8", 24" and 4½' (coiled) lengths. Specify camera model and flash unit.

MODEL BC-4 adds to Nikon's handling ease and speed. Fits camera accessory shoe and makes contact with the special flash terminal built-into Nikon, eliminating the need for wires. Features automatic capacitor charging by loading flash bulb into socket; collapsing, fan-fold reflector; built-in test bulb for check of bulbs, battery and circuit; exposure guide; leather carry case. Fits Nikon S-2, S-3, SP models.

OFFSET BRACKET permits camera (S-2, S-3, SP) to be used with an auxiliary finder and BC-4 flash at the same time.

NIKON ELECTRIC MOTOR DRIVE

Brings automatic fire-power to 35mm photography; provides power-driven single exposures and bursts of 2 or more exposures, continuously through a 36 exposure load. It is available for the S-3 or SP and interchanges with the standard back. Battery powered, it automatically advances the film and releases the shutter, without vibration. Exposures are made at the rate of 3-per-second for as long as the trigger button is depressed; or it may be pre-set for automatic shut-off after any desired number of exposures. The motor is powered by 6 "C" batteries in a compact accessory leather case with belt strap. An outlet is provided for remote control.

EXTENSION ARM WITH PERISCOPE FINDER adjustable from 20" to 4 feet for using Nikon camera with Electric Motor Drive to shoot over crowds. Periscope mirror approximates 50mm field of view; permits viewing even at full 4-foot extension. Includes hardwood carry case.

BATTERY TESTER miniature voltmeter for checking Motor Drive batteries. It plugs into the battery case outlet terminal and indicates voltage; marker shows recommended minimum.


NIKON SP FINDER ILLUMINATOR

An ingenious, battery-powered unit that permits the SP user to frame accurately under light conditions *so adverse* that bright frame fields lose their brilliance. By flicking a switch the single pen-light battery provides brilliant illumination for the finder frames. Fits SP accessory shoe; has own accessory shoe on top for flash, etc.


PANORAMA HEAD

Permits you to take panorama sequences to full 360° with any Nikkor Lens from 28mm wide angle through 135mm telephoto. Click-stop settings for 35, 50 and 105mm lenses. The Head is designed so that there is a slight overlap of exposures to assure continuity. A full 180° coverage can be obtained in 3 shots with the 28mm Nikkor lens and the Panorama Head.


BUBBLE LEVEL attaches to the Nikon accessory shoe and indicates when camera is perfectly horizontal. Ideal for use with Panoramic Head and wide angle lenses.



EXTENSION ARM
AND FINDER



ELECTRIC MOTOR DRIVE




BATTERY TESTER



FINDER
ILLUMINATOR




PANORAMA HEAD & LEVEL




LENS HOODS AND CAPS



FILTERS



REFLEX HOUSING



NIKON
MANUAL

NIKON SNAP-ON LENS HOODS AND CAPS

Contribute to Nikon's handling ease and speed. They attach as easily as a "slip-on" and as securely as a "screw-in" unit, with none of the disadvantages of either. The lens hoods for all 50mm and wide angle lenses (except the 50mm f/1.1) can be reversed on the lens, covered with the lens cap and fitted into the camera's eveready case.

NIKON REAR LENS CAPS a low-cost form of insurance against dirt, dust and possible damage to lenses removed from the camera.

NIKON CAMERA BODY CAP protects camera interior when no lens is mounted.

NIKON OPTICAL GLASS FILTERS

Made with the finest optical glass, precision ground and polished to plano-parallel optical flats. All filters are fully coated on both sides. Available in yellow, green, red-orange, 85C, 82A, skylight, and UV haze, each with case. Available with screw-in mounts for most Nikkor Lenses.

NIKON PRISM REFLEX HOUSING

For use with 180mm, 250mm and 500mm lenses as well as the 135mm short-mount lens; attaches to the camera's bayonet mount; lens attaches to Housing's bayonet mount. Features image erecting prism; 4.3x magnifier; precise adjustments for synch of housing-mirror with camera shutter; and provision for keeping mirror raised for multiple exposures with the Nikon Electric Motor Drive. It is supplied with a cable-and finger release and a coupling cable.

NIKON MANUAL

228 pages of instructions on all Nikon models and accessories, as well as modern techniques for better 35mm photography! Covers all phases of 35mm photography from flash to color and available light to processing. Profusely illustrated by top name professionals. Written by George Wright.

NIKON CASES; ACCESSORIES

EVEREADY CAMERA CASE permits the use of camera while in case. Top-grain leather, lined with red velvet. Specify camera model.

MR CASE deluxe eveready case that holds Nikon (S-3 or SP) with exposure meter permanently in place. Distinctively styled; made of top-grain leather; lined with red velvet. Permits use of camera while in case.

DELUXE COMPARTMENT CASES hold complete outfit: camera, accessory lenses and viewfinders, filter, lens shades, exposure meter, flash unit and spare film. Made of selected top-grain russet-brown cowhide, velvet lined. Includes an outside compartment, adjustable shoulder strap and non-slip, cushioned shoulder pad.

LENS CASES for added protection of Nikkor Lenses when not in use. Available for lenses from 25mm to 135mm, in genuine leather, velvet lined.

NECK STRAP special quick-clip snaps hook into eyelets on camera, permit you to carry Nikon without case.

NIKON CABLE RELEASE — all metal overlapping type, with lock; available in 10" length.

NIKON FILM CASSETTES machined all-metal cartridges for those who spool film loads from bulk film. Includes ASA indicator. Ideal for use with the Nikon Electric Motor Drive for precise frames-per-second firing and less battery drain.

CORRECTIVE EYEPIECES permit the Nikon user who wears eyeglasses to focus and compose accurately without eyeglasses. The eyepieces slip over rear eyepiece of S2, S-3 or SP, and are available in a range from -5 diopters to +3 diopters. Specify camera model.

NIKON PRISM BINOCULARS 12 featherweight central — focus models featuring Nikkor optics and Nikon construction. Guaranteed for life!

NIKON ASTRONOMICAL TELESCOPES available in 2" and 2.6 inch models. Complete with equatorial mounting, heavy duty tripod, eyepieces, sunglass, sun projecting screen, lens hood, dewcap, and fitted wooden cabinet.


NIKON TELESCOPE ATTACHMENT adapts camera to Astrophotography. Available with Nikon bayonet or Leica-thread mounts.



EVEREADY CASE



MR CASE



COMPARTMENT CASE



NECK STRAP



CABLE RELEASE




LENS CASES



CASSETTES



BINOCULARS





TELESCOPES


CLOSE UP ATTACHMENT



SA COPY OUTFIT




PA COPY OUTFIT



MICROFLEX



BELLOWS ATTACHMENT



CLOSE-FOCUSING ATTACHMENT

Provides rangefinder focus and precise, parallax-corrected composing with subjects from 18" to 30"; supplied with case. Includes: range-viewfinder attachment, supplementary lens, case.

MODEL SA REPRO-COPY OUTFIT

Ideal for copying and macro-photography, at ratios from 1:1 (life-size) to 1:5 mounted on base, and to 1:20 mounted on a tripod. Accurate focusing and framing is provided by a ground glass screen, with adjustable magnifying eyepiece. Complete outfit includes: frame base and dual upright, camera bracket with bellows, focusing finder with magnifying eyepiece, attachment lens for 50mm f/2 (adapter ring for f/1.4), handle, anti-reflection ring and compact, portable instrument case.

MODEL PA REPRO-COPY OUTFIT

Features auto-positioning mount for fast focus and framing without removing camera from unit. This is particularly useful when photographing copy material of different sizes. Greater versatility is provided by bellows focusing. Copies at ratios from 1:1 (life-size) to 1:17 and higher by swinging focusing head 90° to photograph wall-mounted copy. Adapter permits use with all Nikkor lenses. Outfit includes auto-positioning sliding, fold-over camera-and-focusing-screen unit, bellows focusing, adjustable height 90° swivel bracket; 2-piece chrome upright; detachable 5.5x magnifier; auxiliary lens attachment for the 50mm f/2.0 and f/1.4; *adapter for accepting wide angle and telephoto lenses; anti-reflection ring and fitted carrying case which serves as working platform.

NIKON MICROFLEX

A Prism reflex unit for micro-photography that can be fitted to any standard microscope draw tube. A standard cable release operates the built-in shutter and simultaneously swings the prism out of the optical path.


The Nikon Microflex can be used with low power objectives less than 10x with a ground glass viewfinder. A 7x magnifier is provided for careful examination of detail. For high power objectives, dark field illumination or phase contrast observation, an ocular viewfinder is used. It provides a brighter field of view and more accurate focusing.

The Microflex is supplied with ground glass screen, magnifier, ocular viewfinder with diopter adjustment, and a camera adapter (for Nikon bayonet or Leica-thread cameras).


NIKON BELLOWS ATTACHMENT

Provides image magnification range from 0.8x to 4.8x with the Nikon Prism Reflex Housing and Nikkor Lenses from 50mm to 135mm (regular and short mount). Equipped with adapter rings to permit the 50mm f/2 or f/1.4 to be mounted in reverse position, and deliver magnification from 2.2 to 4.8x.


*available at extra cost




A



B



C



D

NIKON VIEWFINDERS

While both the new Nikon S-3 and SP offer built-in multiple viewfinder frames, there are times when a user might desire an external finder, or where the camera has no built-in frame for the focal length to be used, or where owners of previous Nikon models (or other 35mm cameras) seek the advantages of interchangeable lenses. All Nikon finders slip into the accessory shoe on the camera.

A LIFE-SIZE FINDERS

For 85, 105 and 135mm focal lengths; notably brilliant life-size (one-to-one) finders with viewing that extends beyond the bright frame lines. Each finder has parallax setting provision, and is supplied with leather carrying case.

B INDIVIDUAL FINDERS

For 25mm, 28mm and 35mm (latter is bright frame). Also available is an ingenious, compact, miniature finder for 35mm lenses which can be stored, on-camera, in the Nikon Eveready Camera case. 28mm and 35mm (bright frame) are supplied with leather case.

C SPORTS FRAME FINDER

For shooting especially fast moving subjects, the open frame design permits you to see considerably beyond the field of view to better "set" for approaching action. Provides frames for five focal lengths: 35, 50, 85, 105 and 135mm. Supplied with leather case.

D ZOOM-TYPE VARIFOVAL FINDER

Single finder for all lenses from 28mm through 135mm (for 28mm, an adapter lens is attached to front of finder). This finder maintains the same field-frame for each focal length, and varies the size and area of the image to conform to the lens coverage. Includes parallax setting provision and is supplied with leather case.

NIKON LITERATURE

Nikon Cameras F200

Nikkor Lenses F147

Nikon Electric Motor Drive F146

Nikon Prism Binoculars F60

Nikon Astronomical Telescopes . . F149

At your dealer or write directly to Nikon Inc.

NIKON INCORPORATED

251 Fourth Avenue, New York 10, N. Y.

Product of **N K**
Japan Kogaku

Nikon cameras • Nikkor Lenses • Mikron Binoculars
Astronomical Telescopes • Research Microscopes
Contour Projectors • Surveyors Transits and
other fine optical instruments

Manufactured by

NIPPON KOGAKU, K.K.

TOKYO, JAPAN



CAMPUS CAMERA CENTER
1616 N. High St. — AX. 9-3749
COLUMBUS 1, OHIO