WILSONWERKS ARCHIVES

This camera manual is for reference and historical purposes, all rights reserved.

This cover page is copyrighted material. This document may not be sold or distributed without the express consent of the publisher.

©2008 wilsonwerks Llc

Vivitar

PHOTOGRAPHERS MADE US #1

THE 3500 FLASH SYSTEM.

Creative accessories grow with you. Build your own complete light system.

Vivitar flash accessories give you versatility, reliability, and can set you free to be an extraordinary, creative photographer. You'll achieve effects you never dreamed you could.

Choose from these accessories and expand your 3500 EFU to its full systems capacity.

The FK-2 Flash Filter Kit.

Transform ordinary pictures into visual color treats with a variety of color filters.



PGB-2 Quick Release Pistol

Grip. A pistol grip system that features a quick release to separate your flash unit for use off camera. The 3500 maintains your fully dedicated exposure control with the addition of the Dedicated



Sensor Cord DSC-1 and you have the flexibility to aim as you please.

HVP-1, High Voltage
Battery Pack. A high-voltage
battery pack carried at your
side or over-the-shoulder.
This powerhouse uses a 510volt battery to produce full
power flashes and quick




Complete Vivitar 3500 system accessory guide.

Item	Stock No.
HVP-1 High Voltage	
Battery Pack	0238120
HVC-1 High Voltage	
Battery Pack	
Connecting Cord	0238005
MFS-1 Macro	
Flash Sensor	0236506
FK-2 Flash Filter Kit	0238337
WFK-2 Flash Wide-Angle	
Filter Kit	0238382
FA-3 Lens/Filter Adapter	0238359
SB-4 AC Adapter	
(110 VAC)	0239404
Charge 50 Battery Pack	
with NC-5	0238326
NC-5 NiCad Battery Pack	0239507
PGB-2 Quick Release	
Pistol Grip Set	0982418
SL-2 Remote Flash Trigger	0237019
DSC-1 Dedicated	
Sensor Cord*	0234638
*Availability to be announced.	

Vivitar Corporation 1630 Stewart St. Santa Monica, CA 90406

COMPACT. POWERFUL.NEW.

DEDICATED TO YOUR QUEST FOR THE ULTIMATE IN CREATIVE, PERFECTLY EXPOSED IMAGES.



DEDICATED TO TOTAL EASE

Vivitar had you in mind when they designed this versatile, sophisticated, ultra-automatic flash system. No more limita-

flash system. No more limitations. No more distracting computations...while that extraordinary shot gets away.

The Vivitar 3500 Flash System frees you to explore the full creative potential of photography...offers more choice and flexibility through built-in and accessory features ...and opens a new world of image possibilities.

It's what you would expect from Vivitar—the leader in electronic flash.

Dedicated Especially to Your Fine 35mm SLR Camera

Model 3500 is designed to interface electronically with most leading 35mm SLR cameras, Olympus, Canon, Nikon, Minolta, Pentax, and more. This "picture perfect" connection results in automatic shutter selection and extra information right in the viewfinder, giving you additional assurance that the shot you're taking will be lighted exactly the way you intended. If the light is not right, it will let you know it's not right.

A Vivitar First: Beep, Beep... Beeeep!

With or without a "dedicated" camera, the 3500 gives you a new option. It signals you that everything is going right. It both "shows and tells" you that the Flash 3500 is ready to fire:

An Audible Signal...Beep. A LED Flash Ready Light.



After you've taken a properly exposed shot, if you chose to, you get two more significant signals:

The Audible Signal ...long Beeeep. A LED Flash Sufficient Light Indicator.

You will know—after taking every shot—that the image is properly exposed. Whether bouncing, zooming, using filters, slaves, off camera, or pistol grip. If that isn't automatic, what is?



Dedicated to Power... Of Course!

You'll want to use this system in a variety of situations... indoors and out. At home or far away. That's why the 3500 is equipped to properly light subjects as far as 47 feet, as close as 2 feet. That's why there are accessory power sources to increase versatility of use. That's why you'll want to keep the Model 3500 with you all the time.

DEDICATED TO YOUR CREATIVITY

As your photographic talents grow, the Model 3500 System grows with you. It's truly Full System photography at its best.


The 3500 itself has many built-in professional features:

- Eyelight Panel™ for 28mm lens.
- -7° angle for parallax correction.
- Adjustable bounce head.
- 3 sensor ranges control the exact amount of light up to 47 ft.

• Red LED: "Ready." Green LED: "Sufficient light."

• Audible <u>beep</u>: "Ready." Audible beeeep: "Sufficient light."

- Audible on/off switch silences the signal when quiet is called for.
- Pre-shot test button.
- Optional power sources.



DEDICATED TO TOTAL EASE

Vivitar had you in mind when they designed this versatile, sophisticated, ultra-automatic flash system. No more limita-

DEDICATED TO YOUR CREATIVITY

As your photographic talents grow, the Model 3500 System grows with you. It's truly Full System photography at its best.

The 3500 itself has many built-in professional features:

- Eyelight Panel™ for 28mm lens.
- -7° angle for parallax correction.
- Adjustable bounce head.
- 3 sensor ranges control the exact amount of light up to 47 ft.

your exposure was terrific!


• Red LED: "Ready." Green LED: "Sufficient light."

• Audible beep: "Ready." Audible beeeep: "Sufficient light."



• Pre-shot test button.

 Optional power sources.



tions. No more distracting computations...while that extraordinary chat gote away signals: The Audible Signal ... long

After you've taken a properly

exposed shot, if you chose to,

you get two more significant

Beeeep. A LED Flash Sufficient

A Vivitar First: Beep, Beep...

With or without a "dedicated"

camera, the 3500 gives you a

It both "shows and tells" you

that the Flash 3500 is ready

everything is going right.

new option. It signals you that

Beeeep!

to fire:

An Audible

Signal...Beep.

A LED Flash

Ready Light.

CANON

Just a few easy steps and you can take foolproof perfect flash pictures with your Canon camera and the new Vivitar 3500.

- See and hear that your Canon is set and flash is ready.
- See and hear when you have taken a properly exposed picture.

To use the 3500, first select the automode, and set ASA of film on the base (module) of the flash.

• A-1

To get ready: Just set camera to any "AE" mode. Set camera lens to "A." Flash shutter speed is set automatically.

Then Shoot and Shoot and Shoot!

Just watch for the flash ready indicator "F" in the viewfinder (or listen for the "Beep"). Focus and shoot. The "Beeeep" tells you your exposure was terrific!

To get ready: Just set camera lens to "A." Flash shutter speed is set

automatically (except if shutter speed dial is in "B" position).

Then Shoot and Shoot! Just watch for needle in viewfinder to indicate "ready" by moving to automode F-stop selected (or

listen for the "Beep"). Focus and shoot. The "Beeeep" tells you your exposure was terrific!



• AV-1

To get ready: Just set camera to "A" position.

Set camera lens to "A" position. Shutter speed is set automatically.


Then Shoot and Shoot! Just watch for needle in viewfinder to indicate "ready" by moving to correct flash shutter speed (1/60) (or listen for the

"Beep"). Focus and shoot. The "Beeeep" tells you your exposure was terrific!



• AT-1

To get ready: Just match aperture on camera to automode of flash.



Sufficient ligh

indicator

Automodes

DEDICATED TO TOTAL EASE

Vivitar had you in mind when they designed this versatile, sophisticated, ultra-automatic flash system. No more limita-

DEDICATED TO YOUR CREATIVITY

As your photographic A Vivitar First: Beep, Beep... talents grow, the Model 3500 System grows with With or without a "dedicated" you. It's truly Full System camera, the 3500 gives you a photography at its best. new option. It signals you that

The 3500 itself has many built-in professional features:

- Evelight Panel™ for 28mm lens.
- -7° angle for parallax correction.
- Adjustable bounce head.
- 3 sensor ranges control the exact amount of light up to 47 ft.


• Red LED: "Ready." Green LED: "Sufficient light."

• Audible beep: "Ready." Audible beeeep: "Sufficient light."



• Pre-shot test button.

 Optional power sources.



After you've taken a properly exposed shot, if you chose to, you get two more significant signals:

The Audible Signal...long Beeeep. A LED Flash Sufficient

NIKON

Just a few easy steps and you can take foolproof, perfect flash pictures with your Nikon camera and the new Vivitar 3500.

tions. No more distracting

computations...while that

- See and hear that your Nikon is set and flash is ready.
- See and hear when you have taken a properly exposed picture.

To use the 3500, first select the automode you desire on the 3500, then follow these easy steps:

To get ready: Set camera to "auto" and match camera aperture to automode on flash. Flash shutter speed is set automatically.

Then Shoot and Shoot and Shoot! Just watch for the "flash ready



light" in viewfinder (or listen for the "Beep"). Focus and shoot. "Beeeep" tells you your exposure was terrific!

To get ready: Set flash automode to "EM" position, set camera to

"auto." Flash shutter speed is set automatically. If you incorrectly set camera aperture, a rapid "Beep, Beep, Beep" will tell you so.

Then Shoot and Shoot!

Just watch for the "flash ready light" in viewfinder (or listen for the "Beep").

Beeeep!

to fire:

An Audible

Signal...Beep.

A LED Flash

Ready Light.



Focus and shoot. "Beeeep" tells you your exposure was terrific!

To get ready: Set camera to "auto." Match camera aperture to automode on flash. Shutter speed is set automatically.

Then Shoot and Shoot! Just watch for the "flash ready light" in viewfinder (or listen for the "Beep"). Focus and shoot. "Beeeep" tells you your exposure



Great for Autowinders, too!



DEDICATED TO TOTAL EASE

Vivitar had you in mind when they designed this versatile, sophisticated. ultra-automatic flash system. No more limitations. No more distracting

DEDICATED TO YOUR CREATIVITY

As your photographic talents grow, the Model 3500 System grows with you. It's truly Full System photography at its best.

> The 3500 itself has many built-in professional features:

- Eyelight Panel™ for 28mm lens.
- -7° angle for parallax correction.
- Adjustable bounce head.
- 3 sensor ranges control the exact amount of light up to 47 ft.


• Red LED: "Ready." Green LED: "Sufficient light."

• Audible beep: "Ready." Audible beeeep: "Sufficient light."



• Pre-shot test button.

 Optional power sources.



A Vivitar First: Beep, Beep...

everything is going right. It both "shows and tells" you that the Flash 3500 is ready to fire:

An Audible

Signal...Beep. A LED Flash Ready Light.

After you've taken a properly

exposed shot, if you chose to, you get two more significant signals:

The Audible Signal...long Beeeep. A LED Flash Sufficient

MINOLTA

Just a few easy steps and you can take foolproof, perfect flash pictures with your Minolta camera and the new Vivitar 3500.

computations...while that

- See and hear that your Minolta is set and flash is ready.
- See and hear when you have taken a properly exposed picture.

To use the 3500, first select the automode you desire on the 3500, then follow these easy steps:

XD SERIES

To get ready: Set camera to any mode and match camera aperture to automode on flash. Flash shutter speed is set automatically.

Then Shoot and Shoot and Shoot! Just watch for the "flash ready



light" in viewfinder (or listen for the "Beep"). Focus and shoot. "Beeeep" tells you your exposure was terrific!

XG SERIES

To get ready: Set camera to "auto" and match camera aperture to automode on flash. Flash shutter speed is set automatically.

Then Shoot and Shoot! Just watch for the "flash ready light" in viewfinder (or listen for the "Beep"). Focus and shoot. "Beeeep" tells you your exposure was terrific!



Great for Autowinders, too!





DEDICATED TO TOTAL EASE



EASE DEDICATED TO YOUR CREATIVITY Vivitar First: Been Been As your photographic • Red LED: "Ready" (

A Vivitar First: Beep, Beep... Beeeep!

With or without a "dedicated" camera, the 3500 gives you a new option. It signals you that everything is going right. It both "shows and tells" you that the Flash 3500 is ready to fire:

An Audible Signal...Beep. A LED Flash Ready Light.



After you've taken a properly exposed shot, if you chose to, you get two more significant signals:

The Audible Signal...long Beeeep. A LED Flash Sufficient As your photographic talents grow, the Model 3500 System grows with you. It's truly Full System photography at its best.

The 3500 itself has

many built-in pro-

fessional features:

Eyelight Panel™

for 28mm lens.

• -7° angle for

• 3 sensor ranges

control the exact

head.

parallax correction.

· Adjustable bounce

amount of light up to

Great for Autowinders, too!

Red LEI
LED: "Sul

 Audible

• Red LED: "Ready." Green LED: "Sufficient light."

• Audible <u>beep</u>: "Ready." Audible beeeep: "Sufficient light."

• Audible on/off switch silences the signal when quiet is called for.

• Pre-shot test button.

Optional power sources.

position



Vivitar

OLYMPUS

Just a few easy steps and you can take foolproof, perfect flash pictures with your Olympus camera and the new Vivitar 3500.

- <u>See</u> and <u>hear</u> that your Olympus is set and the flash is ready.
- <u>See</u> and <u>hear</u> when you have taken a properly exposed picture.

To use the 3500, first select the automode you desire on the 3500, then follow these easy steps:

· OM-1N

To get ready: Just match aperture on camera to automode on flash, set flash shutter speed on camera.

Then shoot and Shoot and Shoot! Just watch for the "flash ready



light" in viewfinder (or listen for the "Beep"). Focus and Shoot, the "Beeeep" tells you your exposure was terrific.

• OM-2

To get ready: Set flash automode to "TTL" and camera on "auto."

Flash shutter speed is set automatically.

Then Shoot and Shoot and Shoot! Just listen for the "Beep," focus, shoot, and listen for the "Beeeep!"

· OM-2N

To get ready: Set flash automode to "TTL" and camera on "auto." Flash shutter speed is set automatically.

Then Shoot and Shoot and Shoot! Just watch for the "flash ready light" in viewfinder (or listen for




the "Beep"). Focus and Shoot, the "Beeeep" tells you your exposure

was terrific.

• OM-10

To get ready: Just match aperture on camera to automode on flash. Flash shutter speed is set automatically.

Then Shoot and Shoot and Shoot! Just watch for the "flash ready light" in viewfinder (or listen for the "Beep"). Focus and Shoot, the



indicator

DEDICATED TO TOTAL EASE



A Vivitar First: Beep, Beep... Beeeep!

With or without a "dedicated" camera, the 3500 gives you a new option. It signals you that everything is going right. It both "shows and tells" you that the Flash 3500 is ready to fire:

An Audible Signal...Beep. A LED Flash Ready Light.



After you've taken a properly exposed shot, if you chose to, you get two more significant signals:

The Audible Signal ...long Beeeep. A LED Flash Sufficient

DEDICATED TO YOUR CREATIVITY

As your photographic talents grow, the Model 3500 System grows with you. It's truly Full System photography at its best.

The 3500 itself has many built-in professional features:

- Eyelight Panel™ for 28mm lens.
- -7° angle for parallax correction.
- Adjustable bounce head.
- 3 sensor ranges control the exact -amount of light up to 47 ft.

• Red LED: "Ready." Green LED: "Sufficient light."

• Audible <u>beep</u>: "Ready." Audible beeeep: "Sufficient light."



• Pre-shot test button.

• Optional power sources.



Just a few easy steps and you can take foolproof, perfect flash pictures with your Pentax camera and the new Vivitar 3500.

- <u>See</u> and <u>hear</u> that your Pentax is set and flash is ready.
- <u>See</u> and <u>hear</u> when you have taken a properly exposed picture.

To use the 3500, first select the automode you desire on the 3500, then follow these easy steps:

• ME-SUPER

To get ready: Set camera to "auto" and match camera aperture to automode on flash. Flash shutter speed is set automatically.

Then Shoot and Shoot and Shoot! Just watch for the "flash ready



light" in viewfinder (or listen for the "Beep"). Focus and shoot. "Beeeep" tells you your exposure was terrific!

• MV

To get ready: Set camera to "auto" and match camera aperture to

automode on flash. Flash shutter speed is set automatically.

Then Shoot and Shoot and Shoot! Just watch for the "flash ready



light" in viewfinder (or listen for the "Beep"). Focus and shoot. "Beeeep" tells you your exposure was terrific!

• LX

To get ready: Set camera to "auto" and match camera aperture to automode on flash. Flash shutter speed is set automatically.

Then Shoot and Shoot and Shoot!
Just watch for the "flash ready
light" in viewfinder (or listen for
the "Beep"). Focus and shoot.
"Beeeep" tells you your exposure
was terrific!



Great for Autowinders, too!



DEDICATED TO TOTAL EASE

Vivitar had you in mind when they designed this versatile, sophisticated, ultra-automatic flash system. No more limita-

tions. No more distracting

computations...while that

OTHER FINE 35MM

To get ready: Set camera flash

shutter sync speed and match

camera aperture to automode on

When flash is ready, "flash ready

light" will go on (or listen for the

Beep, Beep, Beep.). Focus and shoot. Sufficient Light Indicator on flash (and long "Beeeep")

tells you your exposure was

SLR CAMERAS

flash.

terrific!

A Vivitar First: Beep, Beep... Beeeep!

With or without a "dedicated" camera, the 3500 gives you a new option. It signals you that everything is going right. It both "shows and tells" you that the Flash 3500 is ready to fire:

An Audible Signal...Beep. A LED Flash Ready Light.



After you've taken a properly exposed shot, if you chose to, you get two more significant signals:

The Audible Signal...long Beeeep. A LED Flash Sufficient

Great for Autowinders: You can also use the Vivitar 3500 with an Autowinder. The flash will deliver up to 4 flashes in sequence at 2 frames per second.

For fill light applications: Using the autowinder setting reduces the output for beautiful fill light applications. A professional look!

Sufficient light indicator Automodes

Ask for a free demonstration with your camera. You'll discover how easy flash photography can really be!

DEDICATED TO YOUR CREATIVITY


As your photographic talents grow, the Model 3500 System grows with you. It's truly Full System photography at its best.

The 3500 itself has many built-in professional features:

- Eyelight Panel™ for 28mm lens.
- −7° angle for parallax correction.
- Adjustable bounce head.
- 3 sensor ranges control the exact amount of light up to 47 ft.
- Autowinder mode*
- A built-in zoom head wide to telephoto.
- Thyristor™ battery-saving circuitry.



Specifications and product availability for specific brands and models are subject to change without notice.



Vivitar

OOM THYRISTOR

· Audible on/off switch silences the signal when

auiet is

• Red LED: "Ready." Green LED: "Sufficient light."

• Audible beep: "Ready."

called for. • Pre-shot test button.

 Optional power sources.